

## ALBERDINGK® Cold Pressed Organic Castor Oil

### **Characteristic:**

Alberdingk® Cold Pressed Organic Castor Oil is obtained from the seeds of `Ricinus communis L.'. The plant is grown and processed according to certified USDA Organic Standard (7CFR Part 205) in environmentally friendly production. The seeds are pressed without addition of heat (at max. 50 °C) and are not solvent extracted. The oil complies with the monography "Castor oil, virgin", of the current version of the European Pharmacopoeia.

Specification:			According to:
Acid value	mg KOH/g	max. 2	ISO 660
Iodine colour value		max. 2	DIN 6271
Water content	%	max. 0.25	ISO 8534
Refractive index		1.4770 - 1.4810	ISO 6320
at 20°C			
Hydroxyl value	mg KOH/g	160 - 168	ISO 12966

Latest update 05.05.2021

Alberdingk Boley GmbH | Düsseldorfer Str. 53 | 47829 Krefeld | Germany Phone +49 2151 528-0 | Fax +49 2151 573643 | info@alberdingk-boley.de | www.alberdingk-boley.de

Page 1 of 4

Alberdingk Boley, Inc. | Greensboro, NC, USA | www.alberdingkusa.com Alberdingk Resins (Shenzhen) Co.Ltd. | Shenzhen City, P.R. China | www.alberdingkchina.com

The details contained herein are based on our present state of technology and shall inform on our products and their application possibilities. A lawful binding assurance of certain attributes or the suitability for a concrete operation purpose cannot be derived from thisinformation. Industrial property rights are to be considered if required.



## **ALBERDINGK**® Cold Pressed Organic Castor Oil

### Further typical data\*:

Appearance

### According to:

Ph. Eur 2.2.1 Visual clear to light cloudy Peroxide value mVal/kg max. 5 ISO 3960 Palmitic acid content % 0.0 - 2.0 ISO 12966 % Stearic acid content 0.5 - 1.5 ISO 12966 Oleic acid content % 2.5 - 4.5ISO 12966 0.0 - 0.8 Octadecenic acid content % ISO 12966 Linoleic acid content % 2.8 - 6.0 ISO 12966 Linolenic acid content % 0.2 - 0.8 ISO 12966 11-Eicosenoic acid content % 0.0 - 0.5 ISO 12966 % Ricinoleic acid content 85.0 - 92.0 ISO 12966 g Iod/100g 82 - 90 Iodine value acc. to Wijs ISO 12966 Absorption at 270 nm 0.00 - 0.50 ISO 3656 o Optical rotation +3.5 bis +6.0 Ph. Eur. 2.2.7

Latest update 05.05.2021

Alberdingk Boley GmbH | Düsseldorfer Str. 53 | 47829 Krefeld | Germany Phone +49 2151 528-0 | Fax +49 2151 573643 | info@alberdingk-boley.de | www.alberdingk-boley.de

Page 2 of 4

Alberdingk Boley, Inc. | Greensboro, NC, USA | www.alberdingkusa.com Alberdingk Resins (Shenzhen) Co.Ltd. | Shenzhen City, P.R. China | www.alberdingkchina.com

The details contained herein are based on our present state of technology and shall inform on our products and their application possibilities. A lawful binding assurance of certain attributes or the suitability for a concrete operation purpose cannot be derived from thisinformation. Industrial property rights are to be considered if required.



## ALBERDINGK® Cold Pressed Organic Castor Oil

### **Applications:**

Alberdingk® Cold Pressed Organic Castor Oil is an important raw material in the production of pharmaceuticals where it serves as substrate in the synthesis of active pharmaceutical ingredients or as excipient in products like coated tablets or ointment formulations. Cosmetic formulations benefit from its positive skin-conditioning and emollient properties and the stabilizing effect in emulsions when used in lipsticks, lotions and other personal care formulations.

Besides it is applied as polyol in the production of polyurethane resins with a high demand for purity and smell. Among these are e.g. in the medicinal sector components for dialysis devices or PU foams for mattresses, too.The high purity for the mentioned applications is assured by the manufacture and transport in dedicated equipment and containers. Thereby, any contamination with chemicals and/or solvent-extracted oils is excluded. Alberdingk® Pharmaceutical Castor Oil Virgin Ph. Eur. does not contain an antioxidant.

#### **Properties:**

Alberdingk® Cold Pressed Organic Castor Oil consists mainly of triglycerides of ricinoleic acid (12-hydroxy oleic acid). This fatty acid is responsible for the chemical, physical and physiological differences of Castor oil compared to all other vegetable oils. Castor oil is a clear, colourless to pale yellow liquid. In contrast to other vegetable and animal oils or fats, it is soluble in alcohol and has a viscosity which is 20 times as high. Chemical reactions are not only possible at the ester groups or the double bonds but at the hydroxyl functionality, too.

Latest update 05.05.2021

Alberdingk Boley GmbH | Düsseldorfer Str. 53 | 47829 Krefeld | Germany Phone +49 2151 528-0 | Fax +49 2151 573643 | info@alberdingk-boley.de | www.alberdingk-boley.de

Page 3 of 4

Alberdingk Boley, Inc. | Greensboro, NC, USA | www.alberdingkusa.com Alberdingk Resins (Shenzhen) Co.Ltd. | Shenzhen City, P.R. China | www.alberdingkchina.com

The details contained herein are based on our present state of technology and shall inform on our products and their application possibilities. A lawful binding assurance of certain attributes or the suitability for a concrete operation purpose cannot be derived from this formation. Industrial property rights are to be considered if required.



## ALBERDINGK® Cold Pressed Organic Castor Oil

### Storage:

The storage life can be guaranteed for minimum 12 months in tightly locked not opened original containers and at a temperature of + 10 °C up to + 30 °C. A turbidity of the oil due to coldness is reversible and can be removed by heating up to more than 40 °C.

#### Safety:

For further information on product safety please refer to the current safety data sheet.

#### Notice:

\* General information - the values can not be considered as part of the product specification.

Latest updateAlberdingk Boley GmbH | Düsseldorfer Str. 53 | 47829 Krefeld | Germany05.05.2021Phone +49 2151 528-0 | Fax +49 2151 573643 | info@alberdingk-boley.de | www.alberdingk-boley.dePage 4 of 4Alberdingk Boley, Inc. | Greensboro, NC, USA | www.alberdingkusa.com<br/>Alberdingk Resins (Shenzhen) Co.Ltd. | Shenzhen City, P.R. China | www.alberdingkchina.com

The details contained herein are based on our present state of technology and shall inform on our products and their application possibilities. A lawful binding assurance of certain attributes or the suitability for a concrete operation purpose cannot be derived from this information. Industrial property rights are to be considered if required.